

Final Drive Show Lamb

1106-50

TEXTURED - With Deccox

MEDICATED

For the prevention of coccidiosis in young sheep caused by *Eimeria bakuensis*, *Eimeria crandalis*, *Eimeria ovinoidalis*, and *Eimeria parva*. Feed at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard.

ACTIVE DRUG INGREDIENT Decoquinatate 18 g/ton

Guaranteed Analysis

| | | | |
|----------------------|-------|-------|-----------------|
| Crude Protein | | (Min) | 16.0 % |
| Crude Fat | | (Min) | 2.6 % |
| Crude Fiber | | (Max) | 6.9 % |
| Calcium | (Min) | 0.9 | (Max) 1.1 % |
| Phosphorus | | (Min) | 0.4 % |
| Sodium | (Min) | 0.2 | (Max) 0.3 % |
| Lysine | | (Min) | 0.7 % |
| Copper | (Min) | 19 | 23 PPM |
| Zinc | | (Min) | 168 PPM |
| Selenium | | (Min) | 0.7 PPM |
| Vitamin A | | (Min) | 5,130 IU\LB |
| Vitamin E | | (Min) | 63 IU\LB |
| Saccharomyces Cerevi | | (Min) | 0.76 bil CFU\LB |
| Lactobacillus caseai | | (Min) | 26 mil CFU\LB |
| Enterococcus faecium | | (Min) | 26 mil CFU\LB |
| Bifidobacterium long | | (Min) | 26 mil CFU\LB |
| Bacillus licheniform | | (Min) | 26 mil CFU\LB |
| Lacto Acidophilus | | (Min) | 26 mil CFU\LB |

Manufactured By:
BAR★ALE
 Premium Livestock Feeds
 1011 Fifth Street,
 Williams, CA. 95987
 530-473-3333
 info@baraleinc.com
WWW.BARALEINC.COM

List of Ingredients

Corn - Rolled, Soybean Meal, Wheat Millrun, Rolled Barley, Cane Molasses, Re-cleaned Oats, Calcium Carbonate, Beet Pulp Meal, Brewers Dried Yeast, Monocalcium Phosphate, Sodium Chloride, Ground Grains, Sodium Bisulfite, Sodium Sulfite, Potassium bisulfite, Magnesium Oxide, BioPlex Zinc 15% OA, Sodium carboxymethyl-cellulose, Corn distillers dried grains with solubles and Calcium carbonate., Saccharomyces cerevisiae yeast culture (grown on media of ground yellow corn, diastatic malt and cane molasses, dried to preserve its fermenting action)., Natural and Artificial Flavors, Potassium Chloride, Artificial and Natural Flavors, Calcium Salts of Fatty Acids, Suncured Alfalfa Meal, Selenium Yeast, Diatomaceous earth, Hydrolyzed yeast, Plant Protein Products, Hydrated Sodium Calcium Aluminosilicate, Dried Aspergillus Oryzae Fermentation Extract, Dried Lactobacillus Acidophilus Fermentation Product, Dried Lactobacillus Casei Fermentation Product, Dried Enterococcus Faecium Fermentation Product, Dried Bifidobacterium Longum Fermentation Product., Limestone Ground, Monocalcium And Dicalcium Phosphate, Vitamin E Supplement, Salt, Potassium Magnesium Sulfate, Choline Chloride, Manganese Oxide, Zinc Oxide, Vitamin A Supplement, Sodium Selenite, Niacin Supplement, Amino Acid Complex, Glucoheptonate, Biotin, Thiamine Mononitrate, Vitamin D3 Supplement, Vitamin B12 Supplement, Ethylenediamine Dihydriddide, Cobalt Carbonate.

WARNING: Do not feed to sheep producing milk for food.

CAUTION: Do not use in feeds containing bentonite.

LIMITATIONS: Feed at least 28 days during periods of exposure to coccidiosis or when experience indicates that it is likely to be a hazard. Feed Type C medicated feed supplements as a top dress or mix into the daily ration to provide 22.7 mg decoquinatate per 100 lb (0.5 mg/kg) bodyweight. Type C feed may be prepared from dry or liquid type B feed.

CAUTION: DO NOT USE IN FEEDS CONTAINING BENTONITE

WARNING: This feed contains added selenium at 0.75 mg/kg. Do not feed as more than 39.74% of total daily ration.

THIS FEED CONTAINS SELENIUM OVER .3PPM ,DO NOT FEED SELENIUM AT A RATE OVER .3PPM IN TOTAL RATION

FEEDING INSTRUCTIONS: FEED AT THE RATE OF 2.5 LB WEIGHT TO PROVIDE 22.7 MG DECOQUINATE PER 100 LBS

| Sheep Weight | Feed Weight (lbs.) |
|--------------|--------------------|
| * 25 Lbs. | .65 - .80 |
| * 50 Lbs. | 1.25 - 1.75 |
| * 75 Lbs. | 1.80 - 2.60 |
| * 100 Lbs. | 2.50 - 3.50 |
| * 125 Lbs. | 3.10 - 4.30 |
| * 150 Lbs. | 3.75 - 5.25 |

Net Weight 50lbs (22.7 KGS) 16SMAC

MEDICATED

