1283-50

## 20% Complete Flock Crumble

A versitile feed for your mixed flock.

## Guaranteed Analysis

Crude Protein			(Min)	20.0 %
Crude Fat			(Min)	2.4 %
Crude Fiber			(Max)	5.6 %
Calcium	(Min)	0.7	(Max)	1.7 %
Phosphorus			(Min)	0.6 %
Sodium	(Min)	0.2	(Max)	0.3 %
Methionine			(Min)	0.5 %
Lysine			(Min)	1.1 %
Lactobacillus casaei			(Min)	64 mil CFU\LB
Enterococcus faecium			(Min)	64 mil CFU\LB
Bifidobacterium long			(Min)	64 mil CFU\LB
Bacillus licheniform			(Min)	64 mil CFU\LB
Lacto Acidophillius			(Min)	64 mil CFU\LB

## List of Ingredients

Corn - Ground, Soybean Meal, Ground Grains, Wheat Millrun, Wheat - Ground, Calcium Carbonate, Monocalcium Phosphate, DL-Methionine, Sodium Chloride, L-Lysine, Limestone Ground, Aspergillus Niger Fermentation, Ferrous Sulfate, Zinc proteinate, Manganese Oxide, Selenium Yeast, Zinc Oxide, Manganese Sulfate, Vitamin E Supplement, Niacin Supplement, Vitamin A Supplement, Vitamin D3 Supplement, Calcium Pantothenate, Copper Sulfate, Basic Copper Chloride, Organic Soybean Oil, Riboflavin Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride (Vitamin B6 Supplement), Organic Rice Hulls, Thiamine Mononitrate, Vitamin B12 Supplement, Ethylenediamine Dihydroiodide, Folic Acid and Biotin, Diatomaceous earth, Choline Chloride, Sodium Bicarbonate, Sodium carboxymethyl-cellulose, and Calcium carbonate., Xanthophyll 2% Powder (Lutien), Diatomaceous Earth (flow agent), Hemicellulose Extract, Origanum Oil, Cinnamaldehyde, Thyme White Oil, Hydrolyzed yeast, Dried Distillers Grains, Hydrated Sodium Calcium Aluminosilicate, Dried Aspergillus Oryzae Fermentation Extract, Dried Lactobacillus Acidophilus Fermentation Product, Dried Lactobacillus Casei Fermentation Product, Dried Enterococcus Faecium Fermentation Product, Dried Bifidobacterium Longum Fermentation Product.

## WPCP 50 lb 22.67 kg Net Wt

A complete feed for layers, broilers, turkeys, ducks, geese,

and pheasants older than 8 weeks.

-Feed Free Choice

-Clean feeders and waterers regularly

-Provide appropriate size grit as needed

-Oyster shell or coarse ground limestone should be fed from 16 weeks of age for Laying hens as supplemental calcium.

**WARNING:** THIS FEED CONTAINS COPPER AT 12 MG/KG. COPPER LEVELS IN THIS FEED MAY BE UNSAFE FOR SHEEP.

